



1009383-EI



STATE WHEN ORDERING

FW = mm
 FH = mm
 COW = mm
 COH = mm
 CL = mm

Surface treatment

☐ Silver anodized
 Special anodized
 RAL
 Special powder coating

Options see layers:

☐ Bottom rail 178
☐ Midrail 70, MH = mm
☐ Midrail 150, MH = mm

Glass option see drw. 1009026


Glass code:

Limitation

If 22 mm glass FW x FH = max. 2,6 m²
 If 40 mm glass FW x FH = max. 2,2 m²

Installation

☐ Floor heating
☐ Other



Customer:

Ref:

Door id:

Date:

Project No:




Sign:

Automatic door system
 ASSA ABLOY Frame reverse break-out
 1 Panel wall mounted opening left, Art. No. 1009383-1PS-15
 ASSA ABLOY SL500

ASSA ABLOY

6.0

1009383-EI



STATE WHEN ORDERING

FW = mm
 FH = mm
 COW = mm
 COH = mm
 CL = mm

Surface treatment

☐ Silver anodized
 Special anodized
 RAL
 Special powder coating

Options see layers:

☐ Bottom rail 178
☐ Midrail 70, MH = mm
☐ Midrail 150, MH = mm

Glass option see drw. 1009026

Glass code:

Limitation

If 22 mm glass FW x FH = max. 2,6 m²
 If 40 mm glass FW x FH = max. 2,2 m²

Installation

☐ Floor heating
☐ Other

Customer:

Ref:

Door id:

Date:

Project No:

Sign:

Automatic door system
 ASSA ABLOY Frame reverse break-out
 1 Panel wall mounted opening right, Art. No. 1009383-1PS-15
 ASSA ABLOY SL500

ASSA ABLOY

6.0

1009383-EI